

CORNWALL SEA FISHERIES COMMITTEE

SEA FISHERIES REGULATION ACT 1966

FIXED ENGINES BYELAW

1. The placing and use of fixed engines for taking sea fish is prohibited in the following areas except when placed or used in accordance with the following conditions:

(i) The headline of every fixed engine shall be at least 3m below the surface of the water at any state of the tide when set in the following areas less than 1 nautical mile from the low water line along the coast and between the following eastward and westward boundaries.

Area (1) Bounded on the east by a line drawn 360 degrees True from Rumps Point (50° 35'.64 N 004° 55'.48 W) and bounded on the west by a line drawn 315 degrees True from Trevoze Head (50° 32'.96 N 005° 02'.02 W).

Area (2) Bounded on the east by a line drawn 045 degrees True from Towan Head (50° 25'.52 N 005° 06'.09 W) and bounded on the west by a line drawn 270 degrees True from Ligger Point (50° 22'.78 N 005° 09'.40 W).

Area (3) Bounded on the east by a line drawn 090 degrees True from Rosemullion Head (50° 06'.59 N 005° 04'.91 W) and bounded on the west by a line drawn 150 degrees True from Black Head (South of Coverack) (50° 00'.26 N 005° 06'.10 W).

Area (4) Bounded on the east by a line drawn 180 degrees True from Nare Head (50° 11'.74 N 004° 55'.30 W) and bounded on the west by a line drawn 180 degrees True from Zone Point (50° 08'.34 N 005° 00'.60 W).

Area (5) Bounded on the east by a line drawn 090 degrees True from Dodman Point (50° 13'.10 N 004° 48'.18 W) and bounded on the west by a line drawn 215 degrees True from Greeb Point (50° 13'.80 N 004° 49'.86 W).

Area (6) Bounded on the east by a line drawn 180 degrees True from Pencarrow Head (50° 19'.42 N 004° 35'.95 W) and bounded on the west by a line drawn 090 degrees True from Black Head (east of Mevagissey) (50° 17'.85 N 004° 45'.20 W).

Area (7) Bounded on the east by a line drawn 180 degrees True from Rame Head (50° 18'.69 N 004° 13'.40 W) and bounded on the west by a line drawn 180

degrees True from Hore Stone (50° 19'.91 N 004° 28'.46 W).

Provided that on the landward side of a line from Merope Rocks (50° 33'.02 N 005° 01'.18 W) to Cataclews Point (50° 32'.79 N 005° 00'.24 W) and thence to Roundhole Point (50° 32'.91 N 004° 58'.88 W) within area (1) above a fixed engine may be used between the 1st October and the 31st December and the 1st January and the 31st March in any year within 3 metres of the surface.

(ii) The head line of every fixed engine shall be at least 3m below the surface of the water at any state of the tide when set in the following areas:

Area (8) St Ives Bay inside a line drawn from Godrevy Point (50° 14'.43 N 005° 23'.73 W) to St Ives Head (50° 13'.16 N 005° 28'.69 W).

Area (9) Mounts Bay inside a line drawn from Penlee Point (50° 05'.30 N 005° 32'.01 W) to Cudden Point (50° 05'.82 N 005° 25'.74 W).

